

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	306	((install\$3 set\$1up config\$) with driver\$1) same ((locali\$5 region\$4 country countries) with (device\$1 peripheral printer\$1 scanner\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:41
L2	19	1 and (select\$3 with (module\$1 file\$1) with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:46
L3	7	1 and 719/321-327.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:44
L4	7	1 and 713/1,100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:45
L5	4	1 and 710/8-10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:45
L6	8	1 and ((set\$1up near3 (information module\$1 file\$1)) (config\$1 adj2 file\$1) (INF adj2 file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:46
S2	41	719/321-327.ccls. and ((automatical\$5 dynamic\$5) with install\$3 with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 09:18
S3	208	719/321-327.ccls. and (install\$3 with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 11:23
S4	14	(719/321-327.ccls. and ((automatical\$5 dynamic\$5) with install\$3 with driver\$1)) and ((regional\$3 language\$1 set\$1up\$1) near4 (profile\$1 file\$1 module\$1 information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 11:38

S5	61	719/321-327.ccls. and ((install\$3 with driver\$1) same (automatic\$6 dynamic\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 11:31
S6	595	((automatic\$5 dynamic\$5) with install\$3 with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 13:04
S7	273	((((automatic\$5 dynamic\$5) with install\$3 with driver\$1)) and (driver\$1 with (CD disk\$5 memory ROM RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 11:59
S8	149	(((((automatic\$5 dynamic\$5) with install\$3 with driver\$1)) and (driver\$1 with (CD disk\$5 memory ROM RAM))) and (regional\$3 language\$1 set\$1up\$1) and (profile\$1 file\$1 module\$1 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 11:39
S9	312	(install\$3 with driver\$1) same (profile\$1 (regional adj2 (file\$1 module\$1)) (set\$1up adj2 (file\$1 module\$1)) language\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 11:58
S10	172	((install\$3 with driver\$1) same (profile\$1 (regional adj2 (file\$1 module\$1)) (set\$1up adj2 (file\$1 module\$1)) language\$1)) and (driver\$1 with (CD CD\$1ROM disk\$5 memory ROM RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 12:34
S11	12	((automatic\$5 dynamic\$5) with install\$3 with driver\$1) same language\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 13:06
S12	83	(install\$3 with driver\$1) with language\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 13:06
S13	2	(install\$3 near4 (driver\$1 software module\$1)) same (regional near3 (information file\$1 profile\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 13:51

S14	1850	((install\$3 near4 (driver\$1 software module\$1)) and ((regional language\$1) near3 (data information file\$1 profile\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 13:52
S15	114	((install\$3 near4 (driver\$1 software module\$1)) same ((regional language\$1) near3 (data information file\$1 profile\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:00
S16	77	((install\$3 near4 (driver\$1 software module\$1)) same ((regional language\$1) near3 (information file\$1 profile\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:01
S17	2196	((install\$3 load\$3 download\$3 select\$3) near5 driver\$1) and ((config\$6 set\$1up\$1) with (device\$1 printer\$1) with (file\$1 information data profile\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 16:36
S18	767	((install\$3 near5 driver\$1) and ((config\$6 set\$1up\$1) with (device\$1 printer\$1) with (file\$1 information data profile\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 16:26
S19	66	((install\$3 near5 driver\$1) and ((config\$6 set\$1up\$1) with (device\$1 printer\$1) with (file\$1 information data profile\$1))) and 719/321-327.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 16:22
S20	117	((install\$3 near5 driver\$1) and ((config\$6 set\$1up\$1) with (device\$1 printer\$1) with (file\$1 information data profile\$1))) and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 16:25
S21	62	((install\$3 near5 driver\$1) and (printer\$1 same tray same paper) and language\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 16:26
S22	162	((install\$3 load\$3 download\$3 select\$3) near5 driver\$1) with language\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 16:36
S23	56	((install\$3 load\$3 download\$3 select\$3) near5 driver\$1) with language\$1) and (English Japan\$3 China Chinese Korean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 16:36

S24	59	(719/321,327.ccls. and ((localiz\$3 version\$1) with driver\$1)) and ((module\$1 modular component\$1) with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:57
S25	92	719/321,327.ccls. and ((localiz\$3 version\$1) with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:56
S26	771	((install\$3 near5 driver\$1) and ((localiz\$3 version\$1 country countries language\$1) with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:57
S27	358	((install\$3 near5 driver\$1) and ((localiz\$3 version\$1 country countries language\$1) with driver\$1)) and ((module\$1 modular component\$1) with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:57
S28	358	((install\$3 near5 driver\$1) and ((localiz\$3 country countries language\$1) with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:57
S29	162	((install\$3 near5 driver\$1) and ((localiz\$3 country countries language\$1) with driver\$1)) and ((module\$1 modular component\$1) with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:14
S30	5	((install\$3 near5 driver\$1) and ((localiz\$3 country countries language\$1) with driver\$1)) and ((module\$1 modular component\$1) with driver\$1)) and 717/168-173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:18
S31	11	((install\$3 near5 driver\$1) and ((localiz\$3 country countries language\$1) with driver\$1)) and ((module\$1 modular component\$1) with driver\$1)) and 710/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:21
S32	23	((install\$3 near5 driver\$1) and ((localiz\$3 country countries language\$1) with driver\$1)) and ((module\$1 modular component\$1) with driver\$1)) and 719/321,327.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:24

S33	12	(install\$3 adj3 driver\$1) and (display\$3 near5 language\$1) and (paper near3 size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:25
S34	383	driver\$1 with Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:48
S35	1819707	(driver\$1 with Java) display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:49
S36	290	(driver\$1 with Java) and display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:49
S37	503799	((driver\$1 with Java) and display\$3) printer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:49
S38	102	((driver\$1 with Java) and display\$3) and printer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:49
S39	21	((((driver\$1 with Java) and display\$3) and printer\$1) and "719"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:49
S40	800	719/321-327.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:11
S41	1860	710/8-10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 06:56
S42	60	S40 and ((multiple different) near4 (language\$1 region\$3 country countries))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:20

S43	1	S42 and (setup near3 (module\$1 information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:16
S44	12	S40 and (setup near3 (module\$1 information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:14
S45	12	S42 and ((config\$ set\$1up install\$3) with driver\$1 with (module\$1 information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:21
S46	69	S41 and ((multiple different) near4 (language\$1 region\$3 country countries))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:20
S47	9	S46 and ((config\$ set\$1up install\$3) with driver\$1 with (module\$1 information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:25
S48	5223	((config\$ set\$1up install\$3) with driver\$1 with (module\$1 information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:24
S49	12	S42 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:24
S50	44	((config\$ set\$1up install\$3) with driver\$1) same ((multiple different) near6 (country countries language\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:25
S51	15	S50 and ((select\$3 with module\$1) same driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:24
S52	2	"6233619".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:36

S53	1	"6233619".pn. and (data adj path) and (control adj path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 07:36
S54	91	(install\$3 with driver\$1 with (device\$1 printer\$1 peripheral)) same (region\$3 country countries)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:11
S55	2271	713/1,100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:19
S56	4	S55 and (localiz\$3 same (install\$3 config\$ set\$1up) same (device\$1 peripheral printer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:33
S57	402	S55 and (driver\$1 same (install\$3 config\$ set\$1up) same (device\$1 peripheral printer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:20
S58	14	S57 and localiz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:21
S59	73	S55 and localiz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:21
S60	5	S55 and (localiz\$3 same (install\$3 config\$ set\$1up) same (device\$1 peripheral printer\$1 computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:34
S61	148	S55 and ((localiz\$3 country countries language\$1) same (install\$3 config\$ set\$1up) same (device\$1 peripheral printer\$1 computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:34
S62	321	719/321-327.ccls. and ((local\$ region\$ country countries) with (device\$1 peripheral printer\$1 scanner\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 09:32

S63	117	S62 and (install\$3 with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 09:21
S64	16	S63 and ((set\$1up near3 (information module\$1 file\$1)) (config\$1 adj2 file\$1) (INF adj2 file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:20
S65	50	719/321-327.ccls. and ((locali\$ region\$ country countries) with (device\$1 peripheral printer\$1 scanner\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:13
S66	103	713/1,100.ccls. and ((locali\$ region\$ country countries) with (device\$1 peripheral printer\$1 scanner\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:20
S68	8	S66 and ((set\$1up near3 (information module\$1 file\$1)) (config\$1 adj2 file\$1) (INF adj2 file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:21
S69	103	713/1,100.ccls. and ((locali\$ region\$ country countries) with (device\$1 peripheral printer\$1 scanner\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:36
S70	17	S69 and (install\$3 with driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:33